

JENKINS CHEAT SHEET

What is Continuous Integration?

Continuous Integration is a software development practice in which developers are required to frequently commit changes to the source code in a shared repository. Each commit is then continuously pulled & built. Jenkins is an open source, Continuous Integration (CI) tool, written in Java. It continuously pulls, builds and tests any code commits made by a developer with the help of plugins.



Install Jenkins On Ubuntu

This installation is specific to systems operating on Ubuntu. Follow the below steps:

```
Step 1: Install Java
$ sudo apt update
$ sudo apt install openjdk-8-jdk
Step 2: Add Jenkins Repository
$ wget -q -O - https://pkg.jenkins.io/debian/jenkins.io.key
| sudo apt-key add -
Step 3: Add Jenkins repo to the system
$ sudo sh -c 'echo deb http://pkg.jenkins.io/debian-stable
binary/ > /etc/apt/sources.list.d/jenkins.list'
Step 4: Install Jenkins
$ sudo apt update
$ sudo apt install Jenkins
Step 5: Verify installation
$ systemctl status Jenkins
Step 6: Once Jenkins is up and running, access it from the
link:
http://localhost:8080
```

Build Pipeline

Build pipeline can be used to chain several jobs together and run them in a sequence. Let's see how to install Build Pipeline:

Jenkins Dashboard-> Manage Jenkins-> Manage Plugins-> Available-> Build Pipeline

Build Pipeline example

```
Step 1: Create 3 freestyle Jobs (Job1, Job2, Job3)
Step 2: Chain the 3 Jobs together
Job1 ->configure ->Post Build ->Build other projects ->Job2
Job2 ->configure ->Post Build ->Build other projects ->Job3
Step 3: Create a build pipeline view
Jenkins Dashboard ->Add view ->Enter a name ->Build pipeline view
->ok ->configure ->Pipeline flow ->Select Initial job ->Job1 ->ok
Step 4: Run the Build Pipeline
```

Most Commonly Used Jenkins Plugins

Jenkins comes with over 2000 plugins and each plugin has a unique functionality. But when it comes to software development most developers use a set of plugins, such as, Maven, Git, Ant, Docker, Amazon EC2, HTML publisher, Copy artefact, etc.

Follow the below step to install the above plugins or any other Jenkins plugin.

Jenkins Dashboard-> Manage Jenkins-> Manage Plugins-> Available

In the filter text field enter the name of the plugin you want to install.

Different Types of Jenkins Jobs

Jenkins provides the option of choosing from different types of jobs to build your project.

Freestyle Job

Freestyle build jobs are general-purpose build jobs, which provides maximum flexibility. It can be used for any type of project.

Pipeline

This project runs the entire software development workflow as code. Instead of creating several jobs for each stage of software development, you can now run the entire workflow as one code.

Multiconfiguration

The multiconfiguration project allows you to run the same build job on different environments. It is used for testing an application in different environments.

Folder

This project allows users to create folders to organize and categorize similar jobs in one folder or sub folder.

GitHub Organisation

This project scans your entire GitHub organization and creates Pipeline jobs for each repository containing a Jenkinsfile

Multibranch Pipeline

This project type lets you implement different Jenkinsfiles for different branches of the same project.

Jenkins Pipeline

Jenkins pipeline is a single platform that runs the entire pipeline as code. Instead of building several jobs for each phase, you can now code the entire workflow and put it in a Jenkinsfile. Jenkinsfile is a text file that stores the pipeline as code. It is written using the Groovy DSL. It can be written based on two syntaxes:

- Scripted pipeline: Code is written on the Jenkins UI instance and is enclosed within the node block

```
node {
  scripted pipeline code
}
```

- Declarative pipeline: Code is written locally in a file and is checked into a SCM and is enclosed within the pipeline block

```
node {
  declarative pipeline code
}
```

Jenkins Pipeline Syntax Example

```
node {
  stage('SCM checkout') {
    //Checkout from your SCM(Source Control Management)
    //For eg: Git Checkout
  }
  stage('Build') {
    //Compile code
    //Install dependencies
    //Perform Unit Test, Integration Test
  }
  stage('Test') {
    //Resolve test server dependencies
    //Perform UAT
  }
  stage('Deploy') {
    //Deploy code to prod server
    //Solve dependency issues
  }
}
```

Jenkins Tips and Tricks

Start, Stop & Restart Jenkins

```
$ sudo service jenkins restart
$ sudo service jenkins stop
$ sudo service jenkins start
```

Snippet Generator

- Step 1: Create a pipeline job > configure
- Step 2: Select pipeline script from pipeline definition
- Step 3: Click on Pipeline syntax > snippet generator
- Step 4: Step > select Git > enter repo URL
- Step 5: Scroll down > Generate pipeline script
- Step 6: Copy the script into your pipeline script UI

Schedule a build Periodically

Jenkins uses a cron expressions to schedule a job. Each line consists of 5 fields separated by TAB or whitespace:

```
Syntax: (Minute Hour DOM Month DOW)
MINUTE: Minutes in one hour (0-59)
HOURS: Hours in one day (0-23)
DAYMONTH: Day in a month (1-31)
MONTH: Month in a year (1-12)
DAYWEEK: Day of the week (0-7) where 0 and 7 are Sunday
Example: H/2 * * * * (schedule your build for every 2 minutes)
```

Deploy a custom build of a core plugin

- Step 1: Stop Jenkins.
- Step 2: Copy the custom HPI to **\$Jenkins_Home/plugins**.
- Step 3: Delete the previously expanded plugin directory.
- Step 4: Make an empty file called **<plugin>.hpi.pinned**.
- Step 5: Start Jenkins.



**DEVOPS
CERTIFICATION
TRAINING**